


Datenblatt für Artikel: HELK000010

PREMIUM Koppeling LC-Duplex SM/APC kunststof keramisch groen


inner shutter, green, PREMIUM



Technische Daten

Netto lengte (mm)	80,00
Breedte (mm)	120,00
Hoogte (mm)	0,09
Nettogewicht (kg)	0,01
EAN CODE	4055516078865
PRIJS	15,57
Omgevingstemperatuur min. (°C)	-30
Omgevingstemperatuur max. (°C)	70
Kleur	Groen
Type vezels	9/125µm OS2 singlemode
Productgamma	Koppeling

Maattekening: PREMIUM Koppeling LC-Duplex SM/APC kunststof keramisch groen



Artikeltabelle

BEZEICHNUNG	BEST.NR.
PREMIUM Koppeling LC-Duplex SM/APC kunststof keramisch groen inner shutter, green, PREMIUM	HELK000010
Optionele toebehoren	
PREMIUM FO Splicebox 19" 1 HE leeg 12 LC-duplex koppelingen RAL7035	HSELS240LG
PREMIUM FO Splicebox 19" 1 HE leeg 24 LC-duplex koppelingen RAL7035	HSELS480LG
FO Pigtail LC/APC 9/125µm OS2 2m 4stks. colored according to IEC 60304, CLASSIC	HLP09M042P
FO Pigtail LC/APC 9/125µm OS2 2m 8stks. colored according to IEC 60304, CLASSIC	HLP09M082P
FO Pigtail LC/APC 9/125µm OS2 2m 12stks. colored according to IEC 60304, CLASSIC	HLP09M122P