

Datenblatt für Artikel: HSATWT50S-

SAT Beugel set 50cm mastmontage buis D=38-60mm staal

hot-galvanized, two-part



SCHRACK-Info

Hot-dip galvanized steel wall bracket, 2-part, for the securely attaching a mast tube with a diameter of Ø 38 to 60mm to the wall. Wall distance: 150mm, adjustable by 10cm. Mast tube not included.

TECHNICAL DATA

- Material: Quality steel
- Struts : Flat profile 30 x 5mm
- Surface: hot-dip galvanizing approx. 80
- Wall distance: 500mm, adjustable up to 10cm
- twist-proof: with 2x twist-proof claws
- consisting of: 1x bipod and 1x tripod holder
- suitable for mast tubes : Ø 38 to 60mm

Technische Daten

Netto lengte (mm)	520,00
Breedte (mm)	560,00
Hoogte (mm)	50,00
Nettogewicht (kg)	3,90
Omgevingstemperatuur min. (°C)	-40
Omgevingstemperatuur max. (°C)	60

Artikeltabelle

BEZEICHNUNG	BEST.NR.
SAT Beugel set 50cm mastmontage buis D=38-60mm staal hot-galvanized, two-part	HSATWT50S
Optionele toebehoren	
SAT Mast Length=2000mm DM=50mm 1.5mm Steel hot-galvanized	HSATMM20S
SAT Mast L=2000mm dia=60mm 2.0mm verzinkt staal	HSATMM20S6
SAT Mast Length=3000mm DM=50mm 2.0mm Steel hot-galvanized	HSATMM30S
SAT Mast L=3000mm dia=60mm 2.0mm verzinkt staal	HSATMM30S6