


Datenblatt für Artikel: HSELS120CR

FO Splicebox DIN-rail leeg voor 6x SC-duplex

including accessories (PG, etc.), CLASSIC



Technische Daten

Breedte (mm)	126,00
Hoogte (mm)	35,20
Diepte (mm)	155,65
Nettogewicht (kg)	0,59
Kleur	RAL 7035
Omgevingstemperatuur min. (°C)	-10
Omgevingstemperatuur max. (°C)	70
Productgamma	Behuizingen

Artikeltabelle

BEZEICHNUNG	BEST.NR.
FO Splicebox DIN-rail leeg voor 6x SC-duplex including accessories (PG, etc.), CLASSIC	HSELS120CR
Optionele toebehoren	
Glasvezelkoppeling SC-Duplex OM3 met flens aqua, CLASSIC	HSELSK03CP
Glasvezelkoppeling SC-Duplex OM4 met flens ericaviolet, CLASSIC	HSELSK04CP
Glasvezelkoppeling SC-Duplex OM5 met flens limegreen, CLASSIC	HSELSK05CP
Glasvezelkoppeling SC-Duplex OS2 met flens blue, CLASSIC	HSELSK09CP
Glasvezelkoppeling SC/APC-Duplex OS2 met flens green, CLASSIC	HSELSK09DP
FO Pigtail SC 50/125µm OM3 2m 12stks. colored according to IEC 60304, CLASSIC	HLP03C122P
FO Pigtail SC 50/125µm OM4 2m 12stks. colored according to IEC 60304, CLASSIC	HLP04C122P
FO Pigtail SC 50/125µm OM5 2m 12stks. colored according to IEC 60304, CLASSIC	HLP05C122P
FO Pigtail SC 9/125µm OS2 2m 12stks. colored according to IEC 60304, CLASSIC	HLP09C122P
FO Pigtail SC/APC 9/125µm OS2 2m 12stks. colored according to IEC 60304, CLASSIC	HLP09D122P
FO Pigtail SC 50/125µm OM3 2m 8stks. colored according to IEC 60304, CLASSIC	HLP03C082P
FO Pigtail SC 50/125µm OM4 2m 8stks. colored according to IEC 60304, CLASSIC	HLP04C082P
FO Pigtail SC 50/125µm OM5 2m 8stks. colored according to IEC 60304, CLASSIC	HLP05C082P
FO Pigtail SC 9/125µm OS2 2m 8stks. colored according to IEC 60304, CLASSIC	HLP09C082P
FO Pigtail SC/APC 9/125µm OS2 2m 8stks. colored according to IEC 60304, CLASSIC	HLP09D082P
FO Pigtail SC 50/125µm OM3 2m 4stks. colored according to IEC 60304, CLASSIC	HLP03C042P
FO Pigtail SC 50/125µm OM4 2m 4stks. colored according to IEC 60304, CLASSIC	HLP04C042P
FO Pigtail SC 50/125µm OM5 2m 4stks. colored according to IEC 60304, CLASSIC	HLP05C042P

Artikeltabelle

BEZEICHNUNG	BEST.NR.
Optionele toebehoren	
FO Pigtail SC 9/125µm OS2 2m 4stks. colored according to IEC 60304, CLASSIC	HLP09C042P
FO Pigtail SC/APC 9/125µm OS2 2m 4stks. colored according to IEC 60304, CLASSIC	HLP09D042P