





Datenblatt für Artikel: HSELS240LS

PREMIUM FO Splicebox 19" 1HE leeg 12 LC-duplex koppelingen

PREMIUM



SCHRACK-Info

These spliceboxes comprise an upper enclosure section, a pull-out tray and 2 depth-adjustable 19" brackets. Pull-out trays are locked via two knurled screws for 12 LC Duplex couplers

Cable-entry:

- Four break-away style openings for M20 cable-gland
- One break-away style opening for optional available cable strain-relief (HSELSFTTDM)

Material: zinc-coated steel

Installation: 19", 1U



Dimensions WxHxD: 483x44x240mm

Color: black

Technische Daten

Breedte (mm)	482,50
Hoogte (mm)	43,60
Diepte (mm)	211,50
Nettogewicht (kg)	2,70
Kleur	RAL 9005
Omgevingstemperatuur min. (°C)	-10
Omgevingstemperatuur max. (°C)	70
Productgamma	Behuizingen

Afmetingen (mm)



Artikeltabelle

BEZEICHNUNG	BEST.NR.
PREMIUM FO Splicebox 19" 1HE leeg 12 LC-duplex koppelingen PREMIUM	HSELS240LS
Optionele toebehoren	
FO Splicecassette zonder deksel of organiser Cassettes zijn stapelbaar met HSELSZSK04	HSELSZSK01
FO Lashouder 6 krimplasbeschermers (HELSP0001x) Voor gebruik met HSELSZSK01	HSELSZSK02
FO Deksel voor splicecassette HSELSZSK01 wit Voor gebruik met HSELSZSK01	HSELSZSK03
Scharnier voor splicecassette per 100stk. blauw Voor gebruik met HSELSZSK01	HSELSZSK04
FO Lashouder 12 krimplasbeschermers (HELSP0001x) Voor gebruik met HSELSZSK01	HSELSZSK05
FO Splice lasbescherming 60mm (verpakking 10stk.)	HELSP00011
Kabelwartel M20 LVZZKVS20	HELSP00012
Wartel M20 x1,5 RAL7035 polyamide Kabeldiameter 7mm- 12mm	M270020
Tegenmoer M20 x1,5 RAL7035 polyamide	M271020
Blindstop glasvezel SC-Simplex/LC-Duplex zwart 25 stuks	HLZPZKBX02
PREMIUM Koppeling LC-Duplex MM kunststof brons grijs Zonder flens, shutter intern, grijs	HMOLO00011
Glasvezelkoppeling LC-Duplex OS2 met flens blue, CLASSIC	HSELSK09LP
FO Pigtail LC 50/125µm OM4 2m 4stks. colored according to IEC 60304, CLASSIC	HLP04L042P
FO Pigtail LC 9/125µm OS2 2m 4stks. colored according to IEC 60304, CLASSIC	HLP09L042P
FO Pigtail LC 9/125µm OS2 2m 8stks. colored according to IEC 60304, CLASSIC	HLP09L082P
FO Pigtail LC 9/125µm OS2 2m 12stks. colored according to IEC 60304, CLASSIC	HLP09L122P
Glasvezelkoppeling LC/APC-Duplex OS2 met flens green, CLASSIC	HSELSK09MP
Glasvezelkoppeling LC-Duplex OM3 met flens aqua, CLASSIC	HSELSK03LP