

Datenblatt für Artikel: IGZGSW15--

Wall-mounted counter frame for Vienna with 15 counter places

pre-wired, metal housing with meter panel made of plastic



SCHRACK-Info

- 1,2mm Pulverbeschichteter Stahlblechrahmen mit Kunststoff Rückwand
- Kunststofffrontplatten
- gebaut nach EN61439-1
- Anschlussfertig
- Anschlussmöglichkeit bis 70mm²
- mit schaltbaren D02/25A 3-poligen Vorzählersicherungen
- inklusiver N- und PE-Klemmen und 10mm² Zählerschleife je Zählerplatz auf Reihenklemmen 10mm² verdrahtet
- mit doppelter Neutralleiterführung
- Schutzklasse: I
- Schutzart: IP20C
- Farbe: RAL7035 (Lichtgrau)




Technische Daten

Breedte (mm)	1.055,00
--------------	----------

Technische Daten - Fortsetzung

Hoogte (mm)	1.900,00
Diepte (mm)	155,00
Nettogewicht (kg)	73,00
EAN CODE	9007985001009
Stroomwarmteverliezen (W)	-840,00
Uitvoering	Plaat energiemeter kunststof Metaal
Provincie	Wien
Beschermingsklasse	1
Aansluitcapaciteit (mm ²)	10
Bevestiging	opbouw
Kleur	RAL 7035
Tellerplaatsen	15
Breedte (mm)	1055
Hoogte (mm)	1910
Diepte (mm)	180

Maattekening: Wall-mounted counter frame for Vienna with 15 counter places



Artikeltabelle

BEZEICHNUNG	BEST.NR.
Wall-mounted counter frame for Vienna with 15 counter places pre-wired, metal housing with meter panel made of plastic	IGZGSW15
Optionele toebehoren	
Feed-through terminal block PT 10 Push-in connection, cross section: 0.5 mm ² - 16 mm ² , AWG: 20 - 6, width: 10.2 mm, height: 49.5 mm, grey	IP3212120
Feed-through terminal block PT 10 BU Push-in connection, cross section: 0.5 mm ² - 16 mm ² , AWG: 20 - 6, width: 10.2 mm, height: 49.5 mm, blue	IP3212123
Feed-through terminal block PT 10-TWIN Push-in connection, cross section: 0.5 - 16 mm ² , AWG: 20 - 6, width: 10.2 mm, height: 49.5 mm, grey	IP3208746
Feed-through terminal block PT 10-TWIN BU Push-in connection, cross section: 0.5 - 16 mm ² , AWG: 20 - 6, width: 10.2 mm, height: 49.5 mm, blue	IP3208747
Ground modular terminal block PT 10-TWIN-PE Push-in connection, 0.5 - 16 mm ² , AWG: 20 - 6, width: 10.2 mm, height: 49.5 mm, green-yellow, NS 35/7.5, NS 35/15	IP3208745
End cover D-PT 10-TWIN End cover, length: 88.9 mm, width: 2.2 mm, height: 42.6 mm, color: grey	IP3208748
Fixed bridge SCBI 10-10 Fixed bridge, poles: 10, color: silver-colored	IP3246146