


Feed-through terminal block PT 6-TWIN BU

Push-in connection, cross section: 0.5 - 10 mm², AWG: 20 - 8, width: 8.2 mm, height: 42.2 mm, grey, NS 35/7.5, NS 35/15



Technische Daten

Diepte (mm)	42,20
Breedte (mm)	8,20
Hoogte (mm)	74,20
Nettogewicht (kg)	0,02
EAN CODE	4046356495967
Stroomwarmteverliezen (W)	1,31
Omgevingstemperatuur min. (°C)	-40
Omgevingstemperatuur max. (°C)	120
Basisbeschrijving	Klemmen
Systeem	Push-In
Productgamma	PT
Productgroep	Klemmen
Maximale aansluitcapaciteit vaste geleiders (mm ²)	10
Maximale aansluitcapaciteit soepele geleiders (mm ²)	6
Maximale aansluitcapaciteit soepele geleiders met adereindhulzen (mm ²)	6
Minimale aansluitcapaciteit vaste geleiders (mm ²)	0,50
Minimale aansluitcapaciteit soepele geleiders (mm ²)	0,50

Technische Daten - Fortsetzung

Minimale aansluitcapaciteit soepele geleiders met adereindhulzen (mm ²)	0,50
Aansluitcapaciteit (mm ²)	6
Kleur	Grijs
Nominale stroom (A)	41

Artikeltabelle

BEZEICHNUNG	BEST.NR.
Feed-through terminal block PT 6-TWIN BU Push-in connection, cross section: 0.5 - 10 mm ² , AWG: 20 - 8, width: 8.2 mm, height: 42.2 mm, grey, NS 35/7.5, NS 35/15	IP3211485
Optionele toebehoren	
End bracket CLIPFIX 15, to be snapped onto NS 15 DIN rail Snap-on end bracket, color: gray	IP3022263
End bracket CLIPFIX 35-5, for NS 35/7.5 or NS 35/15 Quick mounting end clamp, with marking option, width: 5.15 mm, color: gray	IP3022276
End bracket CLIPFIX 35, for NS 35/7.5 DIN rail or NS 35/15 Quick mounting end clamp, with marking option, width: 9.5 mm, color: gray	IP3022218
End bracket E/UK End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray	IP1201442
End bracket E/UK 1 End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray	IP1201413
End bracket E/MBK End clamp, width: 6.2 mm, color: gray	IP1401637
End bracket E/MK 1 End clamp width: 6 mm, color: gray	IP1421659
End bracket E/NS 35 N End clamp, width: 9.5 mm, color: gray	IP0800886
Zack marker strip ZB 8, blank Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	IP1052002
Zack marker strip ZB 8, consecutive numbers 1-10 Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	IP10520151
Zack marker strip ZB 8, consecutive numbers 11-20 Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	IP10520152

Artikeltabelle

BEZEICHNUNG	BEST.NR.
Optionele toebehoren	
Zack marker strip ZB 8, consecutive numbers 21-30 Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	IP10520153
Zack marker strip ZB 8, consecutive numbers 31-40 Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	IP10520154
Zack marker strip ZB 8, consecutive numbers 41-50 Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	IP10520155
Zack marker strip ZB 8, consecutive numbers 51-60 Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	IP10520156
Zack marker strip ZB 8, consecutive numbers 61-70 Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	IP10520157
Zack marker strip ZB 8, consecutive numbers 71-80 Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	IP10520158
Zack marker strip ZB 8, consecutive numbers 81-90 Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	IP10520159
Zack marker strip ZB 8, consecutive numbers 91-100 Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	IP1052015H
Zack marker strip flat ZBF 8, blank Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP0808781
Zack marker strip flat ZBF 8, consecutive numbers 1-10 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088041
Zack marker strip flat ZBF 8, consecutive numbers 11-20 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088042
Zack marker strip flat ZBF 8, consecutive numbers 21-30 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088043
Zack marker strip flat ZBF 8, consecutive numbers 31-40 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088044
Zack marker strip flat ZBF 8, consecutive numbers 41-50 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088045
Zack marker strip flat ZBF 8, consecutive numbers 51-60 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088046
Zack marker strip flat ZBF 8, consecutive numbers 61-70 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088047
Zack marker strip flat ZBF 8, consecutive numbers 71-80 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088048
Zack marker strip flat ZBF 8, consecutive numbers 81-90 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088049
Zack marker strip flat ZBF 8, consecutive numbers 91-100 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP0808804H

Artikeltabelle

BEZEICHNUNG	BEST.NR.
Optionele toebehoren	
End cover D-PT 6-TWIN	IP3211508
End cover, length: 74 mm, width: 2.2 mm, height: 36 mm, color: grey	
Plug-in bridge FBS 2-8	IP3030284
Plug-in bridge, pitch: 8.2 mm, length: 29.6 mm, width: 14.7 mm, poles: 2, color: red	
Plug-in bridge FBS 3-8	IP3030297
Plug-in bridge, pitch: 8.2 mm, poles: 3, color: red	
Plug-in bridge FBS 4-8	IP3030307
Plug-in bridge, pitch: 8.2 mm, poles: 4, color: red	
Plug-in bridge FBS 5-8	IP3030310
Plug-in bridge, pitch: 8.2 mm, poles: 5, color: red	
Plug-in bridge FBS 10-8	IP3030323
Plug-in bridge, pitch: 8.2 mm, poles: 10, color: red	
Plug-in bridge FBSR 2-8	IP3033808
Plug-in bridge, pitch: 8.2 mm, poles: 2, color: red	
Plug-in bridge FBSR 3-8	IP3001597
Plug-in bridge, pitch: 8.2 mm, poles: 3, color: red	
Plug-in bridge FBSR 4-8	IP3000585
Plug-in bridge, pitch: 8.2 mm, poles: 4, color: red	
Plug-in bridge FBSR 5-8	IP3033809
Plug-in bridge, pitch: 8.2 mm, poles: 5, color: red	
Plug-in bridge FBSR 10-8	IP3001599
Plug-in bridge, pitch: 8.2 mm, poles: 10, color: red	
Plug-in bridge FBSR 16-8	IP3033816
Plug-in bridge, pitch: 8.2 mm, poles: 16, color: red	
Screwdriver 0.8 x 4 (SZF 2-0.8X4.0)	IP1204520
Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 0.8 x 4.0 x 100 mm, 2-component grip, with non-slip grip	