


Installation ground terminal block PTI 6-PE

Push-in connection, cross section: 0.5 mm² - 10 mm², AWG: 20 - 8, width: 8.2 mm, green-yellow, NS 35/7.5, NS 35/15



Technische Daten

Diepte (mm)	48,50
Breedte (mm)	8,20
Hoogte (mm)	66,00
Nettogewicht (kg)	0,01
EAN CODE	4046356609364
Omgevingstemperatuur min. (°C)	-40
Omgevingstemperatuur max. (°C)	120
Basisbeschrijving	Klemmen
Systeem	Push-In
Productgamma	PT
Productgroep	Aardingsklem
Maximale aansluitcapaciteit vaste geleiders (mm ²)	10
Maximale aansluitcapaciteit soepele geleiders (mm ²)	6
Maximale aansluitcapaciteit soepele geleiders met adereindhulzen (mm ²)	6
Minimale aansluitcapaciteit vaste geleiders (mm ²)	0,50
Minimale aansluitcapaciteit soepele geleiders (mm ²)	0,50

Technische Daten - Fortsetzung

Minimale aansluitcapaciteit soepele geleiders met adereindhulzen (mm ²)	0,50
Aansluitcapaciteit (mm ²)	6
Kleur	Groen

Artikeltabelle

BEZEICHNUNG	BEST.NR.
Installation ground terminal block PTI 6-PE Push-in connection, cross section: 0.5 mm ² - 10 mm ² , AWG: 20 - 8, width: 8.2 mm, green-yellow, NS 35/7.5, NS 35/15	IP3213966
Optionele toebehoren	
End bracket CLIPFIX 15, to be snapped onto NS 15 DIN rail Snap-on end bracket, color: gray	IP3022263
End bracket CLIPFIX 35-5, for NS 35/7.5 or NS 35/15 Quick mounting end clamp, with marking option, width: 5.15 mm, color: gray	IP3022276
End bracket CLIPFIX 35, for NS 35/7.5 DIN rail or NS 35/15 Quick mounting end clamp, with marking option, width: 9.5 mm, color: gray	IP3022218
End bracket E/UK End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray	IP1201442
End bracket E/UK 1 End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray	IP1201413
End bracket E/MBK End clamp, width: 6.2 mm, color: gray	IP1401637
End bracket E/MK 1 End clamp width: 6 mm, color: gray	IP1421659
End bracket E/NS 35 N End clamp, width: 9.5 mm, color: gray	IP0800886
Zack marker strip flat ZBF 8, consecutive numbers 71-80 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088048
Zack marker strip flat ZBF 8, consecutive numbers 81-90 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP08088049
Zack marker strip flat ZBF 8, consecutive numbers 91-100 Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	IP0808804H
Support bracket AB-PTI 6 Bracket for busbars, set every 20 cm, modular dimensions: 200 mm poles: 1, color: blue	IP3214008

Artikeltabelle

BEZEICHNUNG	BEST.NR.
Optionele toebehoren	
Zack marker strip ZB 8, blank	IP1052002
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 1-10	IP10520151
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 11-20	IP10520152
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 21-30	IP10520153
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 31-40	IP10520154
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 41-50	IP10520155
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 51-60	IP10520156
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 61-70	IP10520157
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 71-80	IP10520158
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 81-90	IP10520159
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip ZB 8, consecutive numbers 91-100	IP1052015H
Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm	
Zack marker strip flat ZBF 8, blank	IP0808781
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 1-10	IP08088041
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 11-20	IP08088042
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 21-30	IP08088043
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 31-40	IP08088044
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 41-50	IP08088045
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 51-60	IP08088046
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	
Zack marker strip flat ZBF 8, consecutive numbers 61-70	IP08088047
Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm	