


# Ground modular terminal block PTS 1,5/S-PE

Push-in connection, 0.14 mm<sup>2</sup> - 1.5 mm<sup>2</sup>, AWG: 26 - 14, width: 3.5 mm, height: 37 mm, green-yellow, NS 35/7.5, NS 35/15



## Technische Daten

|                                                                                     |               |
|-------------------------------------------------------------------------------------|---------------|
| Diepte (mm)                                                                         | 37,00         |
| Breedte (mm)                                                                        | 3,50          |
| Hoogte (mm)                                                                         | 50,70         |
| Nettogewicht (kg)                                                                   | 0,01          |
| EAN CODE                                                                            | 4046356616300 |
| Omgevingstemperatuur min. (°C)                                                      | -40           |
| Omgevingstemperatuur max. (°C)                                                      | 120           |
| Basisbeschrijving                                                                   | Klemmen       |
| Systeem                                                                             | Push-In       |
| Productgamma                                                                        | PT            |
| Productgroep                                                                        | Aardingsklem  |
| Maximale aansluitcapaciteit vaste geleiders (mm <sup>2</sup> )                      | 1,50          |
| Maximale aansluitcapaciteit soepele geleiders (mm <sup>2</sup> )                    | 1,50          |
| Maximale aansluitcapaciteit soepele geleiders met adereindhulzen (mm <sup>2</sup> ) | 1             |
| Minimale aansluitcapaciteit vaste geleiders (mm <sup>2</sup> )                      | 0,14          |
| Minimale aansluitcapaciteit soepele geleiders (mm <sup>2</sup> )                    | 0,14          |

## Technische Daten - Fortsetzung

|                                                                                     |       |
|-------------------------------------------------------------------------------------|-------|
| Minimale aansluitcapaciteit soepele geleiders met adereindhulzen (mm <sup>2</sup> ) | 0,14  |
| Aansluitcapaciteit (mm <sup>2</sup> )                                               | 1,5   |
| Kleur                                                                               | Groen |

## Artikeltabelle

| BEZEICHNUNG                                                                                                                                                                                  | BEST.NR.   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Ground modular terminal block PTS 1,5/S-PE<br>Push-in connection, 0.14 mm <sup>2</sup> - 1.5 mm <sup>2</sup> , AWG: 26 - 14, width: 3.5 mm, height: 37 mm, green-yellow, NS 35/7.5, NS 35/15 | IP3214563  |
| <b>Optionele toebehoren</b>                                                                                                                                                                  |            |
| End bracket CLIPFIX 15, to be snapped onto NS 15 DIN rail<br>Snap-on end bracket, color: gray                                                                                                | IP3022263  |
| End bracket CLIPFIX 35-5, for NS 35/7.5 or NS 35/15<br>Quick mounting end clamp, with marking option, width: 5.15 mm, color: gray                                                            | IP3022276  |
| End bracket CLIPFIX 35, for NS 35/7.5 DIN rail or NS 35/15<br>Quick mounting end clamp, with marking option, width: 9.5 mm, color: gray                                                      | IP3022218  |
| End bracket E/UK<br>End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray                                                                                                  | IP1201442  |
| End bracket E/UK 1<br>End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray                                                         | IP1201413  |
| End bracket E/MBK<br>End clamp, width: 6.2 mm, color: gray                                                                                                                                   | IP1401637  |
| End bracket E/MK 1<br>End clamp width: 6 mm, color: gray                                                                                                                                     | IP1421659  |
| End bracket E/NS 35 N<br>End clamp, width: 9.5 mm, color: gray                                                                                                                               | IP0800886  |
| Zack marker strip ZB 3,5, blank<br>Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm                                                    | IP0829414  |
| Zack marker strip ZB 3,5, consecutive numbers 1-10<br>Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm                                 | IP08014041 |
| Zack marker strip ZB 3,5, consecutive numbers 11-20<br>Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm                                | IP08014042 |
| Zack marker strip ZB 3,5, consecutive numbers 21-30<br>Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm                                | IP08014043 |

## Artikeltabelle

| BEZEICHNUNG                                                                                            | BEST.NR.   |
|--------------------------------------------------------------------------------------------------------|------------|
| <b>Optionele toebehoren</b>                                                                            |            |
| Zack marker strip ZB 3,5, consecutive numbers 31-40                                                    | IP08014044 |
| Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm |            |
| Zack marker strip ZB 3,5, consecutive numbers 41-50                                                    | IP08014045 |
| Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm |            |
| Zack marker strip ZB 3,5, consecutive numbers 51-60                                                    | IP08014046 |
| Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm |            |
| Zack marker strip ZB 3,5, consecutive numbers 61-70                                                    | IP08014047 |
| Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm |            |
| Zack marker strip ZB 3,5, consecutive numbers 71-80                                                    | IP08014048 |
| Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm |            |
| Zack marker strip ZB 3,5, consecutive numbers 81-90                                                    | IP08014049 |
| Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm |            |
| Zack marker strip ZB 3,5, consecutive numbers 91-100                                                   | IP0801404H |
| Strip, white, snap into tall marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 10.5 mm |            |
| Zack marker strip flat ZBF 3,5, blank                                                                  | IP0829392  |
| Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  |            |
| Zack marker strip flat ZBF 3,5, consecutive numbers 1-10                                               | IP08014061 |
| Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  |            |
| Zack marker strip flat ZBF 3,5, consecutive numbers 11-20                                              | IP08014062 |
| Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  |            |
| Zack marker strip flat ZBF 3,5, consecutive numbers 21-30                                              | IP08014063 |
| Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  |            |
| Zack marker strip flat ZBF 3,5, consecutive numbers 31-40                                              | IP08014064 |
| Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  |            |
| Zack marker strip flat ZBF 3,5, consecutive numbers 41-50                                              | IP08014065 |
| Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  |            |
| Zack marker strip flat ZBF 3,5, consecutive numbers 51-60                                              | IP08014066 |
| Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  |            |
| Zack marker strip flat ZBF 3,5, consecutive numbers 61-70                                              | IP08014067 |
| Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  |            |
| Zack marker strip flat ZBF 3,5, consecutive numbers 71-80                                              | IP08014068 |
| Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  |            |
| Zack marker strip flat ZBF 3,5, consecutive numbers 81-90                                              | IP08014069 |
| Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  |            |
| Zack marker strip flat ZBF 3,5, consecutive numbers 91-100                                             | IP0801406H |
| Strip, white, snap into flat marker groove, for terminal width: 3.5 mm, lettering field: 3.5 x 5.2 mm  |            |
| End cover D-PTS 1,5/S                                                                                  | IP3214576  |
| End cover, length: 50.7 mm, width: 2.2 mm, height: 37 mm, color: grey                                  |            |

## Artikeltabelle

| BEZEICHNUNG                                                                                                                                          | BEST.NR.  |
|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>Optionele toebehoren</b>                                                                                                                          |           |
| Screwdriver 0.4 x 2.5 ( SZF 0-0.4X2.5)                                                                                                               |           |
| Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size: 0.4 x 2.5 x 75 mm, 2-component grip, with non-slip grip | IP1204504 |