

Datenblatt für Artikel: LI1005351 -

NUMINOS® MOVE S 700lm 250mA 40° 930 wit/chrome

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!



Produktinfo

NUMINOS is the optimal coordinated lighting system from SLV, combining function, design and technology. With different down- and spotlights you can create thousands of lighting possibilities. This includes also Numinos® MOVE S, which as recessed ceiling light fixture is characterized by best processing- and light quality. Ideal for a discreet, modern and space-saving lighting, which directs the focus on objects or the room. The installation is done by simply turning it. When do you decide for Numinos® from SLV?

Technische Daten

Lichtstroom (lm)	700
Regelen lichtintensiteit	Afhankelijk van driver Ja
Lichtmiddel inbegrepen	Inbegrepen
Lampvoet	LED
Stralingshoek (°)	40
Vermogen (W)	8,60
Boring voor inbouw (mm)	Ø 90
Lengte (mm)	100

Technische Daten - Fortsetzung

Breedte (mm)	100
Hoogte (mm)	63,50
Diameter (mm)	100
LxBxH (mm)	100x100x64
ØxH (mm)	100x64
Uitsnijding (mm)	Ø 90

BEZEICHNUNG

BEST.NR.

NUMINOS® MOVE S 700lm 250mA 40° 930 wit/chrome

LI1005351

Recessed ceiling luminaire, cardanic rotating and pivoting, Note: LED driver must be ordered separately!