


Datenblatt für Artikel: LID12352--

Marra LED Strip 14,4W/m 60LEDs/m 1000lm/m 3000K 24VDC IP20 €ECONOMY

LED Flexstrip, dimmable, 5 Meter Roll



Technische Daten

Luminaire type	LED Strip
Mounting	surface mounting ceiling surface mounting wall floor mounting
Material	PVC
Manufacturer	06-One Light
Emission angle (°)	120
Operating voltage AC (V)	24
Operating voltage DC (V)	24
Light source	SMD LED
Watt/m (W/m)	14,40
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥75

Technische Daten - Fortsetzung

luminous flux/m (lm/m)	1000
Live time	50000
Dimmable	yes
Protection class	III
IP Rating	IP20
Energy efficiency class	A
Illuminant incl.	yes
LxWxH mm	5000x10x3

Dimensioned drawing: Marra LED Strip 14,4W/m 60LEDs/m 1000lm/m 3000K 24VDC IP20



Artikeltabelle

BEZEICHNUNG	BEST.NR.
Marra LED Strip 14,4W/m 60LEDs/m 1000lm/m 3000K 24VDC IP20	LID 12352
LED Flexstrip, dimmable, 5 Meter Roll	
Optional Accessories	
Grey square profile 7836/G, 2 meters	LID 12361
Suitable for LED Strips 7820, 7821, 7830, 7831, 7870	
Square smil white profile 7836/W, 2 meters	LID 12362
Suitable for LED Strips 7820, 7821, 7830, 7831, 7870	
Triangle grey profile 7836T/G, 2 meters	LID 12370
Suitable for LED Strips 7820, 7821, 7830, 7831, 7870	
Triangle white profile 7836T/W, 2 meters	LID 12371
Suitable for LED Strips 7820, 7821, 7830, 7831, 7870	
Aluminium profile 7904/AL+PC opal diffuser, 2 meters	LID 13859
Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835	
White Profil 7904/W + PC opal diffuser, 2 meters	LID 14135
Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835	
Aluminium recessed profile 7904R/AL+PC opal diffuser, 2 meters	LID 13860
Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835	
White recessed profile 7904R/W + PC opal diffuser, 2 meters	LID 14137
Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835	
Aluminium profile 7906/AL+PMMA opal square diffuser, 2 meters	LID 13861
Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835, 7820W, 7830W, 7831W, 7835W	
Triange aluminium profile 7908/AL,+PC opal diffuser, 2 meters	LID 13862
Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835, 7870, 7875, 7820W, 7830W, 7831W, 7835W	
Aluminium recessed profile 7912R/AL+PC opal diffuser, 2 meters	LID 13865
Suitable for LED Strips 7820, 7821, 7825, 7830, 7831, 7835, 7870, 7875, 7820W, 7830W, 7831W, 7835W	
7832, LED STRIP CONNECTOR for 7830 / 7831	LID 12358
7834, LED POWER SUPPLY CABLE for 7830 / 7831	LID 12359
7824/RGB, LED POWER CABLE for 7823/RGB	LID 12347
7822/RGB, LED STRIP CONNECTOR for 7830/RGB	LID 12345