

Datenblatt für Artikel: LID13785--

Marra LED Strip 14,4W/m 70LEDs/m 4000K 1170lm/m 24VDC IP68

LED Flexstrip, dimbaar, 5 meter rol



Produktinfo

Waterproof flexible LED light strip, with SMD2835 LEDs, 70LEDs/meter, 14,4W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing, IP68. Can be cut every 10cm (7-LED segment). Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Technische Daten

Lichtkleur	Neutraalwit
Kleurtemperatuur (K)	4000
Kleurweergave-index (Ra)	≥90
Regelen lichtintensiteit	Afhankelijk van driver Ja
Beschermingsklasse	III
Beschermingsgraad	IP68
EEK	F
Energie-efficiëntieklasse	F
Type verlichting	LED Strip
Lichtmiddel inbegrepen	Inbegrepen
Lampvoet	LED

Technische Daten - Fortsetzung

Lichtrendement (lm/W)	81
Voedingen	Moet apart besteld worden
Nominale werkspanning DC (V)	24
Ingangsspanning DC (V)	24
Bevestiging	Bodemopbouw Wandbevestiging Plafondmontage
Uitvoering	Silicone
Lengte (mm)	5000
Breedte (mm)	10
Optionele toebehoren	LID16631--
Lichtstroom per meter (lm/m)	1170

Artikeltabelle

BEZEICHNUNG	BEST.NR.
Marra LED Strip 14,4W/m 70LEDs/m 4000K 1170lm/m 24VDC IP68 LED Flexstrip, dimbaar, 5 meter rol	LID13785
Optionele toebehoren	
Mounting Bracket voor LID16609 08 STRIPS & PROFILES	LID16631