

Datenblatt für Artikel: LID14261--

Lomo-CL SMD LED 42W 3000K 2520lm, 230V 120° IP20 antraciet

LED Deco Plafondverlichting



Produktinfo

42W LED Decorative Plafo, IP20, suitable for residential and commercial application. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.

Technische Daten

Lichtstroom (lm)	3570
Lichtkleur	Warmwit
Kleurtemperatuur (K)	3000
Kleurweergave-index (Ra)	≥80
Regelen lichtintensiteit	Neen
Beschermingsklasse	I
Beschermingsgraad	IP20
Type verlichting	Plafondverlichting
Lichtmiddel inbegrepen	Inbegrepen
Lampvoet	LED
Stralingshoek (°)	120
Lichtrendement (lm/W)	85
Cos Phi	0,9

Technische Daten - Fortsetzung

Vermogen (W)	42
Voedingen	LED Driver
Nominale werkspanning AC (V)	220-240
Ingangsspanning AC (V)	220-240
Bedrijfsstroom mA (mA)	1050
Primaire stroom (A)	1,05
Frequentie (Hz)	50/60
Bevestiging	Plafondmontage
Kleur	Antraciet
Uitvoering	Aluminium
Hoogte (mm)	132
Diameter (mm)	600
Optionele toebehoren	LID16949--
ØxH (mm)	600x132

Maattekening: Lomo-CL SMD LED 42W 3000K 2520lm, 230V 120° IP20 antraciet



Artikeltabelle

BEZEICHNUNG	BEST.NR.
Lomo-CL SMD LED 42W 3000K 2520lm, 230V 120° IP20 antraciet LED Deco Plafondverlichting	LID14261
Optionele toebehoren	
Schroefloze klem 32A 6-aansluitingen 26 ACCES&GADGETS	LID16949