

Datenblatt für Artikel: LID16897--

SL LED Railspot 20W/ 35W 3000K Ra>90 38° IP20 wit

20W/ 25W/ 30W/ 35W 2400lm/ 3000lm/ 3600lm/ 4200lm



Produktinfo

20W/25W/30W/35W Adjustable power COB LED track spot, ideal for shops and showrooms. Complete with driver. Complies with standard EN60598-1 and any other specific standards.


Technische Daten

Lichtstroom (lm)	2400/3000/3600/4200
Lichtkleur	Warmwit
Kleurtemperatuur (K)	3000
Kleurweergave-index (Ra)	≥90
Regelen lichtintensiteit	Neen
Beschermingsklasse	II
Beschermingsgraad	IP20
Type verlichting	Verlichting met railadapter
Lichtmiddel inbegrepen	Inbegrepen
Lampvoet	LED
Stralingshoek (°)	38
Lichtrendement (lm/W)	120
Cos Phi	0,9

Technische Daten - Fortsetzung

Vermogen (W)	20/25/30/35
Voedingen	LED Driver
Nominale werkspanning AC (V)	220-240
Ingangsspanning AC (V)	220-240
Bedrijfsstroom mA (mA)	500/600/750/850
Primaire stroom (A)	0,5 0,6 0,75 0,85
Frequentie (Hz)	50/60
Bevestiging	Verdeelrailmontage
Kleur	Wit
Uitvoering	Aluminium
Hoogte (mm)	100
Diameter (mm)	100
Optionele toebehoren	LID16902--; LID16901--; LID16905--
ØxH (mm)	100x100

Maattekening: SL LED Railspot 20W/ 35W 3000K Ra>90 38° IP20 wit



Artikeltabelle

BEZEICHNUNG	BEST.NR.
SL LED Railspot 20W/ 35W 3000K Ra>90 38° IP20 wit 20W/ 25W/ 30W/ 35W 2400lm/ 3000lm/ 3600lm/ 4200lm	LID16897
Optionele toebehoren	
wit Ring voor series SL LED 20-35W 09 TRACK LIGHTS	LID16902
Brass Ring voor series SL LED 20-35W 09 TRACK LIGHTS	LID16901
Lens 15deg SL LED, 20-35W 09 TRACK LIGHTS	LID16905