

Datenblatt für Artikel: MG059250--

## Mod. analoge voltmeter 250VAC direct


Uitvoering Modulair 45mm, Type toestel Voltmeter DC, Meetbereik 250V




### Technische Daten

|                                             |                                     |
|---------------------------------------------|-------------------------------------|
| Uitvoering                                  | Modulair 45mm                       |
| Meetbereik                                  | 250V                                |
| Aanduiding                                  | Analoog                             |
| Normen                                      | IEC 51<br>VDE 0410<br>EN 60051      |
| Nauwkeurigheid                              | 1,5%                                |
| Overbelasting (continu)                     | 1,2x $U_n$                          |
| Overbelasting (korte duur)                  | 2x $U_n$ / 5s                       |
| Isolatie testspanning                       | 2 kV R.M.S 50 Hz/1 min              |
| Referentietemperatuur (°C)                  | +10 bis +30                         |
| Temperatuursbereik - Transport/ Opslag (°C) | -25°C tot +40                       |
| Stroomwarmteverliezen (W)                   | 3,00                                |
| Bevestiging                                 | Voor verticale inbouw               |
| Belasting                                   | 3VA                                 |
| Frequentiebereik                            | 45Hz tot 65Hz                       |
| Trillingsweerstand                          | VDE 0410, 2,5g, $\pm 0,25$ mm, 50Hz |
| Schokweerstand                              | VDE 0410, 15G                       |

## Schema: Mod. analoge voltmeter 250VAC direct



## Maattekening: Mod. analoge voltmeter 250VAC direct



| BEZEICHNUNG                                                                                                  | BEST.NR. |
|--------------------------------------------------------------------------------------------------------------|----------|
| Mod. analoge voltmeter 250VAC direct<br>Uitvoering Modulair 45mm, Type toestel Voltmeter DC, Meetbereik 250V | MG059250 |